## SECTION 905 -- PROPOSAL (CONTINUED)

I (We) further propose to execute the attached contract agreement (Section 902) as soon as the work is awarded to me (us), and to begin and complete the work within the time limit(s) provided for in the Specifications and Advertisement. I (We) also propose to execute the attached contract bond (Section 903) in an amount not less than one hundred (100) percent of the total of my (our) part, but also to guarantee the excellence of both workmanship and materials until the work is finally accepted.

I (We) enclose a certified check, cashier's check or bid bond for **five percent (5%) of total bid** and hereby agree that in case of my (our) failure to execute the contract and furnish bond within Ten (10) days after notice of award, the amount of this check (bid bond) will be forfeited to the State of Mississippi as liquidated damages arising out of my (our) failure to execute the contract as proposed. It is understood that in case I am (we are) not awarded the work, the check will be returned as provided in the Specifications.

Bidder acknowledges receipt of and has added to and made a part of the proposal and contract documents the following addendum (addenda): 1/11/2008 ADDENDUM NO. ADDENDUM NO. \_\_\_\_\_ DATED DATED ADDENDUM NO. DATED ADDENDUM NO DATED TOTAL ADDENDA: 1 Number Description (Must agree with total addenda issued prior to opening of bids) 1 Revised Bidsheets; Addendment EBS Download required. Respectfully Submitted, DATE Contractor Signature TITLE ADDRESS \_\_\_\_\_ CITY, STATE, ZIP E-MAIL \_\_\_\_\_ (To be filled in if a corporation) Our corporation is chartered under the Laws of the State of \_\_\_\_\_\_ and the names, titles and business addresses of the executives are as follows: President Address Secretary Address Treasurer Address

The following is my (our) itemized proposal.

Upgrading US Highway 98, from SR 589 to Weathersby Rd, known as Federal Aid Project No. HSIP-0014-02(056) / 104891301, in the County of Lamar, State of Mississippi. I (We) agree to complete the entire project within the specified contract time.

## \*\*\* SPECIAL NOTICE TO BIDDERS \*\*\* BIDS WILL NOT BE CONSIDERED UNLESS BOTH UNIT PRICES AND ITEM TOTALS ARE ENTERED. BIDS WILL NOT BE CONSIDERED UNLESS THE BID CERTIFICATION LOCATED AT THE END OF THE BID SHEETS IS SIGNED \*\*\*BID SCHEDULE\*\*\*

Line	Item Code	Adj	Quantity	Units	Description	Unit Price		Item Amou	ınt
No.		Code				Dollar	Ct	Dollar	Ct
					Roadway Items	-			
0010	201-A001		1	Lump Sum	Clearing and Grubbing	XXXXXXXX	XXX		
0020	202-B005		3,019	Square Yard	Removal of Asphalt Pavement, All Depths				
0030	202-B018		1,703	Square Yard	Removal of Concrete Driveways, All Depths				
0040	202-B025		271	Square Yard	Removal of Concrete Paved Ditch				
0050	202-B038		173	Linear Feet	Removal of Curb, All Types				
0060	202-B070		4	Each	Removal of Sign Including Post & Footing				
0070	202-B076		3,300	Linear Feet	Removal of Traffic Stripe				
0080	202-B087		1,196	Linear Feet	Removal of Guard Rail, Including Rails, Posts and Terminal Ends				

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price		Bid Amour	nt
0090	202-B088		7	Each	Removal of Box Culvert Headwall, All Sizes				
0100	202-B106		1,057	Linear Feet	Removal of Pipe, All Sizes				
0110	203-A001	(E)	17,735	Cubic Yard	Unclassified Excavation, FM				
0120	203-EX017	(E)	11,783	Cubic Yard	Borrow Excavation, AH, FME, Class B9				
0130	203-G001	(E)	1,650	Cubic Yard	Excess Excavation, FM				
0140	204-A007		1,725	Square Yard	Geogrid, Type III, Uniaxial				
0150	206-A001	(S)	251	Cubic Yard	Structure Excavation				
0160	206-B001	(E)	57	Cubic Yard	Select Material for Undercuts, Contractor Furnished, FM				
0170	213-C001		6	Ton	Superphosphate				
0180	216-A001		8,423	Square Yard	Solid Sodding				
0190	219-A001		168	Thousand Gallon	Watering	20.	00	3,360.	00
0200	220-A001		6	Acre	Insect Pest Control	30.	00	180.	00

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price		Bid Amour	ıt
0210	221-A001	(S)	44	Cubic Yard	Portland Cement Concrete Paved Ditch				
0220	223-A001		12	Acre	Mowing	40.	00	480.	00
0230	234-A001		11,085	Linear Feet	Temporary Silt Fence				
0240	235-A001		1,888	Bale	Temporary Erosion Checks				
0250	304-A028	(GY )	19,823	Cubic Yard	Granular Material, LVM, Class 6, Group C				
0260	304-A043	(GY)	3,173	Cubic Yard	Granular Material, LVM, Class 9, Group C				
0270	408-A003	(A3)	3,937	Gallon	Asphalt for Prime Coat, Cut-Back MC-70 or Emulsified EA-1				
0280	602-A001	(S)	24,282	Pounds	Reinforcing Steel				
0290	603-ALT001	(S)	1,068	Linear Feet	18" Type A Alternate Pipe				
0300	603-CA002	(S)	752	Linear Feet	18" Reinforced Concrete Pipe, Class III				
0310	603-CA004	(S)	56	Linear Feet	30" Reinforced Concrete Pipe, Class III				
0320	603-CB001	(S)	13	Each	18" Reinforced Concrete End Section				

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price	Bid Amount
0330	603-CB003	(S)	3	Each	30" Reinforced Concrete End Section		
0340	603-CE001	(S)	32	Linear Feet	22" x 13" Concrete Arch Pipe, Class A III		
0350	603-CE007	(S)	16	Linear Feet	65" x 40" Concrete Arch Pipe, Class A III		
0360	603-CF001	(S)	2	Each	22" x 13" Concrete Arch Pipe End Section		
0370	603-CF007	(S)	1	Each	65" x 40" Concrete Arch Pipe End Section		
0375 Added	603-SB040 1 01/11/2008	(S)	1	Each	18" Branch Connections, Stub into Box Culvert		
0380	604-B001		250	Pounds	Gratings		
0390	606-B001		963	Linear Feet	Guard Rail, Class A, Type 1		
0400	606-C003		6	Each	Guard Rail, Cable Anchor, Type 1		
0410	606-E001		6	Each	Guard Rail, Terminal End Section		
0420	609-B001	(S)	100	Linear Feet	Concrete Curb, Header		
0430	609-D002	(S)	1,773	Linear Feet	Combination Concrete Curb and Gutter Type 2		

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price		Bid Amount
0440	614-B001	(S)	856	Square Yard	Concrete Driveway, With Reinforcement			
0450	616-A001	(S)	883	Square Yard	Concrete Median and/or Island Pavement, 4-inch			
0460	616-A003	(S)	292	Square Yard	Concrete Median and/or Island Pavement, 10-inch			
0470	618-A001		1	Lump Sum	Maintenance of Traffic	XXXXXXXX	XXX	
0480	619-D1001			Square Feet	Standard Roadside Construction Signs, Less than 10 Square Feet			
0490	619-D2001			Square Feet	Standard Roadside Construction Signs, 10 Square Feet or More			
0500	619-D3001		55	Each	Remove and Reset Signs, All Sizes			
0510	619-F1001			Linear Feet	Concrete Median Barrier, Precast			
0520	619-G4001		48	Linear Feet	Barricades, Type III, Single Faced			
0530	620-A001		1	Lump Sum	Mobilization	XXXXXXXX	XXX	
0540	626-B001			Linear Feet	6" Thermoplastic Traffic Stripe, Continuous White			
0550	626-E001			Linear Feet	6" Thermoplastic Traffic Stripe, Continuous Yellow			

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price	Bid Amount
0560	626-G001		8,973	Linear Feet	Thermoplastic Detail Stripe, White		
0570	626-G002		3,989	Linear Feet	Thermoplastic Detail Stripe, Yellow		
0580	626-H001		631	Square Feet	Thermoplastic Legend, White		
0590	626-H002		1,235	Linear Feet	Thermoplastic Legend, White		
0600	627-K001		136	Each	Red-Clear Reflective High Performance Raised Markers		
0610	627-L001		42	Each	Two-Way Yellow Reflective High Performance Raised Markers		
0620	630-A002		128	Square Feet	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness		
0630	630-E004		170	Pounds	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar		
0640	630-F001		39	Each	Delineators, Guard Rail, White		
0650	630-F003		4	Each	Delineators, Flexible Post Mounted, Crossover, Type I, Green		
0660	630-F004		4	Each	Delineators, Flexible Post Mounted, Crossover, Type I, Yellow		
0670	630-K002		175	Linear Feet	Welded & Seamless Steel Pipe Posts, 3 1/2"		

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price		Bid Amour	nt
0680	639-A137		2	Each	Traffic Signal Equipment Pole, Type III, 17' Shaft, 40' & 55' Arms				
0690	639-A156		2	Each	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 40' & 55' Arms				
0695 Added	639-A175 1 01/11/2008		2	Each	Traffic Signal Equipment Pole, Type III, 17' Shaft, 40' & 20' Arms With Luminaire				
0700 Delete	639-A172 ed 01/11/2008					XXXXXXXX	XXX	XXXXXXX	XXX
0710	640-A016		14	Each	Traffic Signal Heads, Type 1 LED				
0720	640-A018		5	Each	Traffic Signal Heads, Type 3 LED				
0730	640-A019		5	Each	Traffic Signal Heads, Type 5 LED				
0740	640-A022		4	Each	Traffic Signal Heads, Type 7 LED				
0750	644-A001		11	Each	Optical Detector				
0760	644-B001		2,385	Linear Feet	Optical Detector Cable				
0770	644-C002		3	Each	Phase Selector, 4 Channel				
0780	647-A005		9	Each	Pullbox, Type 2				

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price	Bid Amount	
0781 Adde	647-A003 d 01/11/2008		21	Each	Pullbox, Type 4			
0782 Adde	647-A004 d 01/11/2008		9	Each	Pullbox, Type 5			
0790	648-A001		2	Each	Radio Interconnect, Installed in New Controller Cabinet			
0800	649-A003		1	Each	Video Vehicle Detection, New Installation, 3 Cameras			
0810	649-A004		2	Each	Video Vehicle Detection, New Installation, 4 Cameras			
0820	657-A006		13,520	Linear Feet	Fiber Optic Cable, 72 SM			
0830	657-B003		550	Linear Feet	Fiber Optic Drop Cable, 12 SM			
0840	666-B004		350	Linear Feet	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 10, 2 Conductor			
0850	666-B016		3,215	Linear Feet	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 7 Conductor			
0860	666-B022		390	Linear Feet	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 8, 2 Conductor			
0870	668-A016		310	Linear Feet	Traffic Signal Conduit, Underground, Type 4, 1"			
0880	668-A018		210	Linear Feet	Traffic Signal Conduit, Underground, Type 4, 2"			

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price		Bid Amount
0890	668-A029		17,550	Linear Feet	Traffic Signal Conduit, Underground, Rolled Pipe, 2"			
0900	668-B016		250	Linear Feet	Traffic Signal Conduit, Underground Drilled or Jacked, Type 4, 2"			
0910	668-B018		390	Linear Feet	Traffic Signal Conduit, Underground Drilled or Jacked, Type 4, 3"			
0920	668-B024		10,470	Linear Feet	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 2"			
0930	699-A001		1	Lump Sum	Roadway Construction Stakes	XXXXXXXX	XXX	
0940	802-C002	(S)	4,000	Square Feet	Temporary Steel Sheet Piling			
0950	809-A003	(S)	450	Square Feet	Retaining Wall System			
0960	815-A006	(S)	23	Ton	Loose Riprap, Size 100			
0970	815-E001	(S)	38	Square Yard	Geotextile under Riprap			
0980	907-225-A001		12	Acre	Grassing			
0990	907-225-B001		24	Ton	Agricultural Limestone			
1000	907-226-A001		6	Acre	Temporary Grassing			

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price	Bid Amount	t
1010	907-403-A012	(BA1)	4,327	Ton	Hot Mix Asphalt, ST, 19-mm mixture			
1020	907-403-A015	(BA1)	1,139	Ton	Hot Mix Asphalt, ST, 9.5-mm mixture			
1030	907-601-A001	(S)	167	Cubic Yard	Class "B" Structural Concrete			
1040	907-601-B003	(S)	13	Cubic Yard	Class "B" Structural Concrete, Minor Structures			
1050	907-617-A001		67	Each	Right-of-Way Marker			
1060	907-626-C007		1,414	Linear Feet	6" Thermoplastic Double Drop Edge Stripe, Continuous White			
1070	907-626-F005		858	Linear Feet	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow			
1079 Added	907-642-B001 1 01/11/2008		5	Each	Solid State Traffic Actuated Controller Modification			
1080	907-642-A003		3	Each	Solid State Traffic Actuated Controllers, Type 8A			
1090	907-651-A001		2	Each	Magnetometer Advance Detection System 4 Nodes, 2 Repeaters, 1 Access PT.			
1100	907-651-A001		1	Each	Magnetometer Advance Detection System 5 Nodes, 2 Repeaters, 1 Access PT.			

## \*\*\* BID CERTIFICATION \*\*\*

	*** DBE/WBE SECTION ***
Complete item nos. 1, 2, and/or 3 as appropriate	. See Notice to Bidders addressing Disadvantaged Business Enterprises in Highway Construction.
I/We agree that no less than economically disadvantaged individuals (Disadvantaged individual) (D	percent shall be expended with small business concerns owned and controlled by socially and BE and WBE).
2. Classification of Bidder: Small Business (D	BE)Small Business (WBE)
3. A joint venture with a Small Business (DBF	E/WBE):
	*** SIGNATURE STATEMENT ***  ED ALL ITEMS IN THIS PROPOSAL FOR ACCURACY AND CERTIFIED THAT THE FIGUI
ACKNOWLEDGES THAT HE/SHE HAS CHECK N CONSTITUTE THEIR OFFICIAL BID.	
	ED ALL ITEMS IN THIS PROPOSAL FOR ACCURACY AND CERTIFIED THAT THE FIGURE